


In the claims:

1. (currently amended) A compound of the Formula A:



wherein:

- a is 0 or 1;
- b is 0 or 1;
- m is 0, 1 or 2;
- n is 0, 1, 2 or 3;
- p is 0, 1 or 2;
- q is 0, 1, 2, 3 or 4;
- r is 0 or 1;
- s is 0 or 1;
- t is 2, 3, 4, 5 or 6;

u, v, w and x are independently selected from: CH and N;

y and z are independently selected from: CH and N, provided that at least one of y and z is N;

Q is selected from: $-NR^5R^6$, aryl and heterocyclyl, said aryl and heterocycle which is optionally substituted with one to three R^Z ;

R^1 is independently selected from:

- 1) $(C=O)_aO_bC_{1-10}$ alkyl,
- 2) $(C=O)_aO_b$ aryl,

- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR^c(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR^cS(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 19) NO₂,
- 20) NR^c(C=O)O_bR^a,
- 21) O(C=O)O_bC₁-C₁₀ alkyl,
- 22) O(C=O)O_bC₃-C₈ cycloalkyl,
- 23) O(C=O)O_baryl, and
- 24) O(C=O)O_b-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z;

R² is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 10) OH,

- 11) $O_bC_1-C_6$ perfluoroalkyl,
- 12) $O_a(C=O)_bNR^5R^6$,
- 13) $NR^c(C=O)NR^5R^6$,
- 14) $S(O)_mR^a$,
- 15) $S(O)_2NR^5R^6$,
- 16) $NR^cS(O)_mR^a$,
- 17) CHO,
- 18) NO_2 ,
- 19) $NR^c(C=O)O_bR^a$,
- 20) $O(C=O)O_bC_1-C_{10}$ alkyl,
- 21) $O(C=O)O_bC_3-C_8$ cycloalkyl,
- 22) $O(C=O)O_b$ aryl, and
- 23) $O(C=O)O_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z ;

R^3 and R^4 are independently selected from: H, C_1-C_6 -alkyl and C_1-C_6 -perfluoroalkyl, or

R^3 and R^4 are combined to form $-(CH_2)_t-$ wherein one of the carbon atoms is optionally replaced by a moiety selected from O, $S(O)_m$, $-N(R^b)C(O)-$, and $-N(COR^a)-$;

R^5 and R^6 are independently selected from:

- 1) H,
- 2) $(C=O)O_bR^a$,
- 3) C_1-C_{10} alkyl,
- 4) aryl,
- 5) C_2-C_{10} alkenyl,
- 6) C_2-C_{10} alkynyl,
- 7) heterocyclyl,
- 8) C_3-C_8 cycloalkyl,
- 9) SO_2R^a , and
- 10) $(C=O)NR^{b_2}$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z , or

R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z;

R⁷ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR⁵(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR⁵S(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 19) NO₂,
- 20) O(C=O)O_bC₁-C₁₀ alkyl, ~~and~~
- 21) O(C=O)O_bC₃-C₈ cycloalkyl, and
- 22) H,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z;

R^Z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,

- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9) $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 13) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- 14) $C(O)R^a$,
- 15) (C_0-C_6) alkylene- CO_2R^a ,
- 16) $C(O)H$,
- 17) (C_0-C_6) alkylene- CO_2H ,
- 18) $C(O)N(R^b)_2$,
- 19) $S(O)_mR^a$,
- 20) $S(O)_2N(R^b)_2$
- 21) $NR^c(C=O)O_bR^a$,
- 22) $O(C=O)O_bC_1-C_{10}$ alkyl,
- 23) $O(C=O)O_bC_3-C_8$ cycloalkyl,
- 24) $O(C=O)O_b$ aryl, and
- 25) $O(C=O)O_b$ -heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R^a is substituted or unsubstituted (C_1-C_6) alkyl, substituted or unsubstituted (C_2-C_6) alkenyl, substituted or unsubstituted (C_2-C_6) alkynyl, substituted or unsubstituted (C_3-C_6) cycloalkyl, substituted or unsubstituted aryl, (C_1-C_6) perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

R^b is H, (C_1-C_6) alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C_3-C_6) cycloalkyl, $(C=O)OC_1-C_6$ alkyl, $(C=O)C_1-C_6$ alkyl or $S(O)_2R^a$;

R^c is selected from:


- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 6) heterocyclyl,
- 7) C₃-C₈ cycloalkyl,
- 8) C₁-C₆ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

2. (currently amended) The compound according to Claim 1 of the Formula

A-1:



wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: $-NR^5R^6$ and heterocycle, said heterocycle which is optionally substituted with one to three R^Z ;

R^1 is independently selected from:

- 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
- 2) $(C=O)_aO_b$ aryl,
- 3) C_2-C_{10} alkenyl,
- 4) C_2-C_{10} alkynyl,
- 5) $(C=O)_aO_b$ heterocyclyl,
- 6) $(C=O)_aO_bC_3-C_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 11) $O_bC_1-C_6$ perfluoroalkyl,
- 12) $O_a(C=O)_bNR^5R^6$,
- 13) $NR^c(C=O)NR^5R^6$,
- 14) $S(O)_mR^a$,
- 15) $S(O)_2NR^5R^6$,
- 16) $NR^cS(O)_mR^a$,
- 17) oxo,
- 18) CHO ,
- 19) NO_2 ,
- 20) $NR^c(C=O)O_bR^a$,
- 21) $O(C=O)O_bC_1-C_{10}$ alkyl,
- 22) $O(C=O)O_bC_3-C_8$ cycloalkyl,
- 23) $O(C=O)O_b$ aryl, and
- 24) $O(C=O)O_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z ;

R^2 is independently selected from:

- 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
- 2) $(C=O)_aO_b$ aryl,
- 3) C_2-C_{10} alkenyl,

- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR⁵(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR⁵S(O)_mR^a,
- 17) CHO,
- 18) NO₂,
- 19) NR^c(C=O)O_bR^a,
- 20) O(C=O)O_bC₁-C₁₀ alkyl,
- 21) O(C=O)O_bC₃-C₈ cycloalkyl,
- 22) O(C=O)O_baryl, and
- 23) O(C=O)O_b-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z;

R⁵ and R⁶ are independently selected from:

- 1) H,
- 2) (C=O)O_bR^a,
- 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 10) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z;

R^Z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 13) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,
- 14) C(O)R^a,
- 15) (C₀-C₆)alkylene-CO₂R^a,
- 16) C(O)H,
- 17) (C₀-C₆)alkylene-CO₂H,
- 18) C(O)N(R^b)₂,
- 19) S(O)_mR^a,
- 20) S(O)₂N(R^b)₂, ~~S(O)₂NR⁹R¹⁰~~
- 21) NR^c(C=O)O_bR^a,
- 22) O(C=O)O_bC₁-C₁₀ alkyl,
- 23) O(C=O)O_bC₃-C₈ cycloalkyl,
- 24) O(C=O)O_baryl, and
- 25) O(C=O)O_b-heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R^a is substituted or unsubstituted (C₁-C₆)alkyl, substituted or unsubstituted (C₂-C₆)alkenyl, substituted or unsubstituted (C₂-C₆)alkynyl, substituted or unsubstituted (C₃-C₆)cycloalkyl, substituted or unsubstituted aryl, (C₁-C₆)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

R^b is H, (C₁-C₆)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

R^c is selected from:


- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 6) heterocyclyl,
- 7) C₃-C₈ cycloalkyl,
- 8) C₁-C₆ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

3. (currently amended) The compound according to Claim 1 of the Formula

B:



wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: $-NR^5R^6$ and heterocycle, said heterocycle which is optionally substituted with one to three R^Z ;

R^1 is independently selected from:

- 1) $(C=O)_aO_bC_{1-10}$ alkyl,
- 2) $(C=O)_aO_b$ aryl,
- 3) C_{2-10} alkenyl,
- 4) C_{2-10} alkynyl,
- 5) $(C=O)_aO_b$ heterocyclyl,
- 6) $(C=O)_aO_bC_{3-8}$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC_{1-6} perfluoroalkyl,
- 12) $O_a(C=O)_bNR^5R^6$,
- 13) $NR^c(C=O)NR^5R^6$,
- 14) $S(O)_mR^a$,
- 15) $S(O)_2NR^5R^6$,
- 16) $NR^cS(O)_mR^a$,
- 17) oxo,
- 18) CHO,
- 19) NO_2 ,

- 20) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z ;

R^2 is independently selected from:

- 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
- 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
- 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
- 13) $\text{NR}^5(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
- 14) $\text{S}(\text{O})_m\text{R}^a$,
- 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
- 16) $\text{NR}^5\text{S}(\text{O})_m\text{R}^a$,
- 17) CHO ,
- 18) NO_2 ,
- 19) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 20) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z ;

R^5 and R^6 are independently selected from:

- 1) H,
- 2) (C=O)O_bR^a,
- 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 10) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z;

R^Z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 13) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,
- 14) C(O)R^a,
- 15) (C₀-C₆)alkylene-CO₂R^a,
- 16) C(O)H,

- 17) (C₀-C₆)alkylene-CO₂H,
- 18) C(O)N(R^b)₂,
- 19) S(O)_mR^a,
- 20) S(O)₂N(R^b)₂, S(O)₂NR⁹R¹⁰
- 21) NR^c(C=O)O_bR^a,
- 22) O(C=O)O_bC₁-C₁₀ alkyl,
- 23) O(C=O)O_bC₃-C₈ cycloalkyl,
- 24) O(C=O)O_baryl, and
- 25) O(C=O)O_b-heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R^a is substituted or unsubstituted (C₁-C₆)alkyl, substituted or unsubstituted (C₂-C₆)alkenyl, substituted or unsubstituted (C₂-C₆)alkynyl, substituted or unsubstituted (C₃-C₆)cycloalkyl, substituted or unsubstituted aryl, (C₁-C₆)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

R^b is H, (C₁-C₆)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;


R^c is selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 6) heterocyclyl,
- 7) C₃-C₈ cycloalkyl,
- 8) C₁-C₆ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or
or a pharmaceutically acceptable salt or a stereoisomer thereof.

4. (currently amended) The compound according to Claim 3 of the Formula

B:



wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: -NR⁵R⁶, ~~phenyl~~, benzimidazolyl, benzimidazolonyl, quinolinyl and isoquinolinyl, said benzimidazolyl, benzimidazolonyl, quinolinyl and isoquinolinyl which are optionally substituted with one or two R^Z;

R¹ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,

- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
- 13) $\text{NR}^c(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
- 14) $\text{S}(\text{O})_m\text{R}^a$,
- 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
- 16) $\text{NR}^c\text{S}(\text{O})_m\text{R}^a$,
- 17) oxo,
- 18) CHO ,
- 19) NO_2 ,
- 20) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z ;

R^2 is independently selected from:

- 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
- 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
- 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
- 13) $\text{NR}^c(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
- 14) $\text{S}(\text{O})_m\text{R}^a$,

- 15) $\text{S(O)}_2\text{NR}^5\text{R}^6$,
- 16) $\text{NR}^c\text{S(O)}_m\text{R}^a$,
- 17) CHO ,
- 18) NO_2 ,
- 19) $\text{NR}^c(\text{C=O})\text{O}_b\text{R}^a$,
- 20) $\text{O}(\text{C=O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 21) $\text{O}(\text{C=O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 22) $\text{O}(\text{C=O})\text{O}_b$ aryl, and
- 23) $\text{O}(\text{C=O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z ;

R^5 and R^6 are independently selected from:

- 1) H,
- 2) $(\text{C=O})\text{O}_b\text{R}^a$,
- 3) $\text{C}_1\text{-C}_{10}$ alkyl,
- 4) aryl,
- 5) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 6) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 7) heterocyclyl,
- 8) $\text{C}_3\text{-C}_8$ cycloalkyl,
- 9) SO_2R^a , and
- 10) $(\text{C=O})\text{NR}^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z , or

R^5 and R^6 can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z ;

R^Z is selected from:

- 1) $(\text{C=O})_r\text{O}_s(\text{C}_1\text{-C}_{10})\text{alkyl}$,
- 2) $\text{O}_r(\text{C}_1\text{-C}_3)\text{perfluoroalkyl}$,
- 3) $(\text{C}_0\text{-C}_6)\text{alkylene-S(O)}_m\text{R}^a$,

- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9) $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 13) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- 14) $C(O)R^a$,
- 15) (C_0-C_6) alkylene- CO_2R^a ,
- 16) $C(O)H$,
- 17) (C_0-C_6) alkylene- CO_2H ,
- 18) $C(O)N(R^b)_2$,
- 19) $S(O)_mR^a$, and
- 20) $\underline{S(O)_2N(R^b)_2}, \underline{S(O)_2NR^9R^{10}}$
- 21) $NR^c(C=O)O_bR^a$,
- 22) $O(C=O)O_bC_1-C_{10}$ alkyl,
- 23) $O(C=O)O_bC_3-C_8$ cycloalkyl,
- 24) $O(C=O)O_b$ aryl, and
- 25) $O(C=O)O_b$ -heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R^a is (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl, aryl, or heterocyclyl; and

R^b is H, (C_1-C_6) alkyl, aryl, heterocyclyl, (C_3-C_6) cycloalkyl, $(C=O)OC_1-C_6$ alkyl, $(C=O)C_1-C_6$ alkyl or $S(O)_2R^a$;

R^c is selected from:

- 1) H,
- 2) C_1-C_{10} alkyl,
- 3) aryl,
- 4) C_2-C_{10} alkenyl,

- 5) C₂-C₁₀ alkynyl,

6) heterocyclyl,

7) C₃-C₈ cycloalkyl,


8) C₁-C₆ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

5. (currently amended) The compound according to Claim 4 of the Formula

C:



wherein

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;


n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;



R^1 is independently selected from:

- 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
- 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
- 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
- 13) $\text{NR}^c(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
- 14) $\text{S}(\text{O})_m\text{R}^a$,
- 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
- 16) $\text{NR}^c\text{S}(\text{O})_m\text{R}^a$,
- 17) oxo,
- 18) CHO ,
- 19) NO_2 ,
- 20) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z ;

R^2 is independently selected from:

- 1) $\text{C}_1\text{-C}_6$ alkyl,

- 2) aryl,
- 3) heterocyclyl,
- 4) CO₂H,
- 5) halo,
- 6) CN,
- 7) OH,
- 8) S(O)₂NR⁵R⁶,

said alkyl, aryl and heterocyclyl optionally substituted with one, two or three substituents selected from R^Z;

R⁵ and R⁶ are independently selected from:

- 1) H,
- 2) (C=O)O^bR^a,
- 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 10) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

R^Z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,

- 12) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
- 13) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N}(\text{R}^b)_2$,
- 14) $\text{C}(\text{O})\text{R}^a$,
- 15) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$,
- 16) $\text{C}(\text{O})\text{H}$,
- 17) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
- 18) $\text{C}(\text{O})\text{N}(\text{R}^b)_2$,
- 19) $\text{S}(\text{O})_m\text{R}^a$, and
- 20) $\text{S}(\text{O})_2\text{N}(\text{R}^b)_2$,
- 21) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}\text{ alkyl}$,
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8\text{ cycloalkyl}$,
- 24) $\text{O}(\text{C}=\text{O})\text{O}_b\text{aryl}$, and
- 25) $\text{O}(\text{C}=\text{O})\text{O}_b\text{-heterocycle}$,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(\text{C}_1\text{-C}_6)\text{alkoxy}$, halogen, CO_2H , CN, $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$, oxo, and $\text{N}(\text{R}^b)_2$;

R^a is $(\text{C}_1\text{-C}_6)\text{alkyl}$, $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$, aryl, or heterocyclyl; and

R^b is H, $(\text{C}_1\text{-C}_6)\text{alkyl}$, aryl, heterocyclyl, $(\text{C}_3\text{-C}_6)\text{cycloalkyl}$, $(\text{C}=\text{O})\text{OC}_1\text{-C}_6\text{ alkyl}$, $(\text{C}=\text{O})\text{C}_1\text{-C}_6\text{ alkyl}$ or $\text{S}(\text{O})_2\text{R}^a$;

R^c is selected from:

- 1) H,
- 2) $\text{C}_1\text{-C}_{10}\text{ alkyl}$,
- 3) aryl,
- 4) $\text{C}_2\text{-C}_{10}\text{ alkenyl}$,
- 5) $\text{C}_2\text{-C}_{10}\text{ alkynyl}$,
- 6) heterocyclyl,
- 7) $\text{C}_3\text{-C}_8\text{ cycloalkyl}$,
- 8) $\text{C}_1\text{-C}_6\text{ perfluoroalkyl}$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z , or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

6. (original) A compound which is selected from:

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

N-[3-(1H-imadazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

1-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylpyrido[3,4-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperdin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

1-(1-{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

3,4-dichloro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

4-cyano-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

2,6-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-3-(trifluoromethyl)benzamide;

2,5-difluoro-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

3,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;

4-[({(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl} amino)carbonyl]-1,3-thiazolidin-3-ium;

N-{(3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

3-phenyl-2-[4-({(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl}methyl)phenyl]quinoxaline-6-carboxylic acid;

2-phenyl-3-[4-({(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl}methyl)phenyl]quinoxaline-6-carboxylic acid;

N-{(3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

methyl 3-{[({1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl} amino)carbonyl]amino}benzoate;

N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

*N*²,*N*²-dimethyl-*N*¹-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

3-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-b]pyrazine;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

*N*²,*N*²-dimethyl-*N*¹-[2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

*N*²,*N*²-dimethyl-*N*¹-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2*H*-benzimidazol-2-one;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-deoxy-2-({[2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl}amino)-*D*-arabino-hexopyranose;

2-deoxy-2-({[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl}amino)-*D*-arabino-hexopyranose;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-*D*-glucopyranoside;

3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-*D*-glucopyranoside;

3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(quinazolin-2-on-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(pyrid-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[3-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylaminoprop-2-yl)quinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;

N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-nitroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-aminoquinaxoline;

3-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-chloroquinaxoline;

N,N-dimethyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

Ethyl 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-trifluoromethylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;

7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

6,7-dichloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

7-chloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-methyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

N-[2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methylsulfonamide;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

7-methyl-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

7-chloro-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-chloro-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-isopropyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-(3-fluorophenyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-phenyl-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-(4-bromobenzyl)-N'-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)urea;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-4-bromobenzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)benzylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)-3,4-dimethoxybenzenesulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)thien-2-ylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)2,2,2-trifluoroethylsulfonamide;

N-({1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl}methyl)quinolin-7-ylsulfonamide;

4-phenyl-1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)1,2,3,4,5-trifluorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;

1-{1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;

2-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-1,8-naphthyridine;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

9-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

1-{1-[4-(3-Phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-(2-hydroxyethyl)-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-methyl-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-[3-(1H-imidazol-1-yl)propyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

7-bromo-2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-6-methyl-3-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-6-methyl-2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

7. (original) The compound according to Claim 6 which is the TFA salt of a compound selected from:

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

N-[3-(1H-imadazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

1-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylpyrido[3,4-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

1-(1-{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

3,4-dichloro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

4-cyano-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

2,6-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-3-(trifluoromethyl)benzamide;

2,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

3,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;

4-[(1,3-thiazol-4-ylcarbonyl)amino]-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-ium;

N-{(3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

3-phenyl-2-[4-((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;

2-phenyl-3-[4-((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;

N-{(3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

methyl 3-{{{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}amino)carbonyl}amino}benzoate;

N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

*N*²,*N*²-dimethyl-*N*¹-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;
2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[3,4-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(2-phenylpyrido[2,3-*b*]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

2-(4-{[4-(3H-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

2-(4-{[4-(3H-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

3-(4-{[4-(3H-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

2-(4-{[4-(3H-imidazo[4,5-*b*]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylpyrido[2,3-*b*]pyrazine;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

*N*²,*N*²-dimethyl-*N*¹-[2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

*N*²,*N*²-dimethyl-*N*¹-[3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-deoxy-2-([2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

2-deoxy-2-([3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl)amino)-D-arabino-hexopyranose;

2-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-(2-oxo-2,3-dihydro-1*H*-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(quinazolin-2-on-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(pyrid-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[3-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylaminoprop-2-yl)quinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;

N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-nitroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-aminoquinaxoline;

3-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-chloroquinaxoline;

N,N-dimethyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

Ethyl 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-trifluoromethylquinaxoline;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;

7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

6,7-dichloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

7-chloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-methyl-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

6-chloro-7-fluoro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline;

N-[2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methysulfonamide;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

7-methyl-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

7-chloro-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-chloro-3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

2-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

3-(4-{[4-(benzamidazol-2-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

N-isopropyl-N'-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)urea;

N-(3-fluorophenyl)-N'-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)urea;

N-phenyl-N'-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)urea;

N-(4-bromobenzyl)-N'-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)urea;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)benzenesulfonamide;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)-4-bromobenzenesulfonamide;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)benzylsulfonamide;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)-3,4-dimethoxybenzenesulfonamide;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)thien-2-ylsulfonamide;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)2,2,2-trifluoroethylsulfonamide;

N-({ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl } methyl)quinolin-7-ylsulfonamide;

4-phenyl-1-{ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl }-1,3-dihydro-2H-imidazol-2-one;

1-{ 1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl }-1,3-dihydro-2H-triazol-2-one;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)1,2,3,4,5-trifluorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;

1-{ 1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl }-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;

Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;

2-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl)benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

9-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-(2-hydroxyethyl)-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-methyl-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

N-[3-(1H-imidazol-1-yl)propyl]-3-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

2-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one.

8. (original) The compound according to Claim 6 which is selected from:

N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

4-cyano-N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]benzamide;

N-[(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl]-1,3-thiazole-5-carboxamide;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

9. (original) A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 1.

10. (original) A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 6.

11. (original) A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 8.

12. (original) A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 1.

13. (original) A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 6.

14. (original) A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 8.

15. (original) A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 1.

16. (original) A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 6.

17. (original) A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 8.

18. (original) A pharmaceutical composition made by combining the compound of Claim 1 and a pharmaceutically acceptable carrier.

19. (canceled)

20. (canceled)

21. (canceled)

22. (canceled)

23. (canceled)

24. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor,
- 11) a PPAR- γ agonists,
- 12) a PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,

- 15) an agent useful in the treatment of anemia,
- 16) an agent useful in the treatment of neutropenia,
- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

25. (original) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy and a compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor,
- 11) a PPAR- γ agonists,
- 12) a PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,
- 15) an agent useful in the treatment of anemia,
- 16) an agent useful in the treatment of neutropenia,
- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

26. (canceled)